

Algorithm Efficiency – Study Questions

- Using Big O notation, indicate the worst case time requirement of each of the following tasks.
 - Computing the sum of the first n even integers by using a for loop
 - Displaying all n integers in an array
 - Displaying all n integers in a sorted linked chain
 - Displaying all items in n linked chains of size n each
 - Displaying one array element
 - Displaying the last integer in a linked chain
 - Searching an array for one particular value
 - Searching a sorted array for one particular value
 - Adding an item to a stack of n items
 - Adding an item to a bag of n items
- What is the Big O run time for the following algorithm? Justify your answer. Assume that the operations that are not shown are independent of n.

```
for (int pass = 1; pass <= n; pass++)
{
    for (int index = 0; index < n; index++)
    {
        for (int count = 1; count < 10; count++)
        {
            //operations here independent of n
        }
    }
}
//end for
```

- Consider an array of length n containing positive and negative integers in random order. Write C++ code that rearranges the integers so that the negative integers appear before the positive integers. Your solution should be $O(n)$.
- Prove that $T(n) = 25n+14$ is $O(n)$ (i.e. find n_0 and k such that, for all $n \geq n_0$ $25n+14 \leq kn$)
- Which of the following expressions correctly describe $T(n) = n \log_2(n)$?
Circle all that apply:
 - a) $O(n)$
 - b) $\Omega(n)$
 - c) $\Theta(n^2)$
 - d) $O(n^2)$
 - e) $\Omega(n^2)$